



Lag Bolt Set ▶

Bolt and flat washer hot dip galvanized used to attach flotation drums to dock system.

- 3/8" x 2" - Standard & Commercial
- 3/8" x 3" - Standard & Commercial
- 3/8" x 5" - Standard & Commercial

- Part #24287
- Part #24289
- Part #24292



◀ Carriage Bolt Set



Used to attach most component parts. Bolt, flat washer and nut hot dip galvanized. Match Carriage Bolt Sets with similar graded hardware.

- Standard Grade - 3/8" x 2-1/2"
- Commercial Grade - 1/2" x 3"
- Commercial Grade - 1/2" x 5"

- Part #26534
- Part #26535
- Part #26536

Hex Head Bolt Set ▶

Includes lock nut. Used to connect male and female T connectors. Galvanized. 3/4" x 3-1/2". Standard Grade Part #24279




◀ Connector Pin Set

For quick disconnect. Used to connect male and female T connectors. Galvanized 3/4" connector pin and hitch clip pin. Standard Grade Part #26531



Outside Corner End ▶

Use this corner at ends of fingers and docks. Ideal for swim floats and ski jump corners. Use with Inside Corners, Back Up Plates or Washer Plates. Standard Grade - 10"L x 5"H Part #26523 Commercial Grade - 10"L x 5"H Part #26402 Commercial Grade - 12-1/4"L x 5"H Part #26428




Inside Corner ▶

- This heavy duty inside corner should be used with one of the outside corners.
- Standard Grade - 8-1/4"L x 5"H with elongated holes Part #26524
 - Commercial Grade - 8-1/4"L x 5"H with elongated holes Part #26417
 - Commercial Grade - 8-1/4"L x 5"H with square holes Part #26401
 - Commercial Grade - 10-1/2"L x 5"H with elongated holes and larger brace Part #26424
 - Commercial Grade - 8-1/4"L x 5"H with elongated holes and larger brace Part #26430




◀ Outside Corner/Female

- Use with a Male Outside Corners or Male T Connector. Each leg is 10"L x 5"H.
- Standard Grade - 1/2" welded tabs Part #26521
 - Commercial Grade - 1/2" welded tabs Part #26400




Outside Corner/Male ▶

- Use with Female Outside Corners or a Female T Connector to connect docks end to end. Joint requires 3/4" bolt set or connector pin. Each leg is 10"L x 5"H.
- Standard Grade - 1/2" welded tab Part #26522
 - Commercial Grade - 1/2" welded tab Part #25491
 - Commercial Grade - 3/4" welded tab Part #26418




◀ Female T Connector


- Has two welded 1/2" tabs. Bolts to side of dock to attach fingers and ramps. The use of Back Up Plates or Washer Plates recommended. 5"L x 5"H.
- Standard Grade Part #26528
 - Commercial Grade Part #26407



Male T Connector ▶

- Has one welded 1/2" tab. Use with Female T Connector or Outside Corners to attach fingers and ramps. The use of Back Up Plate or Washer Plates is recommended. 5"L x 5"H. 3/4" Bolt Set or Connector Pin required for joint.
- Standard Grade Part #26532
 - Commercial Grade Part #26408
 - Commercial Grade with 3/4" tab Part #26427





◀ Back Up Plate

5" x 5" reinforcing plates are used to back up the Single T Males & Females, Outside Corners, Chain Retainers, Rolling Ramp Brackets & Corner Pipe Holders

Commercial Grade Part #26413

Washer Plate ▶


Use two washer plates with each angle. Measures 1-1/2"L x 5"H.

Standard Grade

Part #24284

Commercial Grade

Part #26409



◀ Angle Brackets/Clips

Use this heavy-duty angles for all cross supports.

Standard Grade

2-1/2"L x 5"H (Shown)

Part #26527

Commercial Grade

2-1/2"L x 5"H

Part #26406

Commercial Grade

3"L x 5"H

Part #26398

Commercial Grade

2-3/4"L x 2-1/2"H

Part #26392

Commercial Grade

4"L x 7"H

Part #26380

Commercial Grade

2-3/4"L x 5"H

Part #26422

Commercial Grade

4"L x 8"H

Part #26397

Commercial Grade

10"L x 3"H, 3 holes (Shown)

Part #26379

Commercial Grade

10"L x 3"H, 2 holes

Part #26382

Commercial Grade


3"L x 6"H, 2 holes

Part #26381

Commercial Grade

2-1/2"L x 2-1/2"H

Part #26399





Backing Plate ▶

For use with Piling Hoops. Standard Grade

Backing plate - 4"x18" x 7 ga. Part #26396

Backing plate - 2"x18" x 7 ga. Part #26369





◀ Inside Corner Pipe Holders

These heavy-duty inside corners should be used with one of the Outside Corners or Back Up Plates. Measures 8-1/2"L x 5"H. Requires carriage bolt set for attaching.

Inside Corner/Pipe Holder 2"

Standard Grade Part #26526
Commercial Grade Part #26405



Inside Corner/Pipe Holder 3"

Standard Grade Part #26525
Commercial Grade Part #26404

Outside Pipe Holder ▶

OD bolts to outside of dock. Carriage bolt set required for attaching. Use 2" pipe to hold dock in place.

Standard Grade Part #24280
Commercial Grade Part #26411



◀ Chain Retainer


Bolts to side of dock. Use weights and chains to hold dock in place. The use of Back Up Plates or Washer Plates is recommended. Accommodates 1/4", 3/8", & 1/2" chain. Measures 5"L x 5"H.

Standard Grade Part #26529
Commercial Grade Part #26410




Roller Assembly ▶

Heavy Duty Roller Assembly- Bracket and roller bolt directly to the Deck Plate (Model 26416) and can be added to aid up-and-down motion of the dock in areas with tidal action. The 6" roller turns on a 5/8" diameter shaft and the 3/8" bracket is hot-dipped galvanized.

Commercial Grade Part #26414






Inside Rolling Ramp Bracket ▶
 5"x 11" x 1/4" galvanized steel. The use of Back
 Up Plates or Washer Plates is recommended.
 Includes left and right ramp brackets.
 Commercial Grade Part #26431



◀ 14" Hoop Roller Piling Holder
 20-1/4"x 4-1/4"x 4-1/4"x 1/4"
 Commercial Grade Part #26423




Chain Piling Holder ▶
 For use as a pile holder with 3/8" galvanized chain and shackles.
 Can be adjusted for various pile diameters.
 20-1/4"x 4-1/4"x 4-1/4"x 1/4" Steel
 Commercial Grade Part #26419



◀ 14" Internal Piling Holder
 24"x 24"x 7-15/16"
 Commercial Grade Part #26434

Piling Hoop ▶

Heavy Duty Piling Hoop for pilings up to 12" in diameter. The hoop is constructed of 1-1/2" pipe and is hot dip galvanized. It can be bolted directly to the side of the dock or to the optional Deck Plate (Model 26416)
Commercial Grade Part #26412







◀ Deck Plate

Heavy Duty Deck Plate for use with Piling Hoop. This 3/16" thick 4"x 6" plate can be bolted from the top and side of the dock. The hoop can then be bolted to the deck plate, allowing it to be removed seasonally. 22" long
Commercial Grade Part #26416

Piling Hoop & Roller ▶

Piling Hoop & Roller Assembly intended for areas with lots of wind, current, or tidal action. Combines the Piling Hoop (Model 26412) and Roller Assembly (Model 26414) to make up and down movement easier. For pilings up to 12" in diameter.
Commercial Grade Part #26415



◀ Piling Hoop

Heavy Duty 1/4" galvanized steel x 3" high
Commercial Grade - 14" x 3" with 4" radius for 8" Piles Part #26429
Commercial Grade - 16" x 3" with 5" radius for 10" Piles Part #26391
Commercial Grade - 18" x 3" with 6" radius for 12" Piles Part #26394
Commercial Grade - 20" x 3" with 7" radius for 14" Piles Part #26393

Piling Hoop ▶

Heavy Duty 1/4" Stainless Steel x 5" high
Commercial Grade - 15" x 5" with 8" Dia. Part #26370
Commercial Grade - 17" x 5" with 10" Dia. Part #26371
Commercial Grade - 19" x 5" with 12" Dia. Part #26372
Commercial Grade - 21" x 5" with 14" Dia. Part #26373

